

Das passt zusammen...

	Metrische Schrauben							
	ent	Zylinder	mit Führung	Zylinder	Senk	Gewindestifte		
	mom		\odot					
	Prüfdrehmoment						ł	
	DIN ISO 2936:	ISO 4762				4026 4029	ISO 4027	ISO 4028
	2016- 10 Nm		DIN 6912	DIN 7984				
1	-4	M	M	М	M	М	M	M
0.7	0.08					1.4 1.6 1.8	1.4 1.6 1.8	1.4 1.6 1.8
0.9	0.18					2	2	2
1.3 1.5	0.53 0.82	1.4 1.6-2	-			2.5	2.5	2.5
2	1.9	2.5		3	3	4	4	4
2.5	3.8	3		4	4	5	5	5
3	6.6	4	4	5	5	6	6	6
4	16	5	5	6	6	8	8	8
5 6	30 52	6 8	6 8	8	8 10	10 12	10 12	10 12
•	J2	J	J			14	14	14
7	78			10				
8	120	10	10	12	12	16	16	16
10	220	12	12	14	14	18	18	18
12	370	14	14	16	16 18	20	20	20
12	3/0	14	14	18	20	24	24	24
14	590	16	16	20	22		21	21
		18	18	22	24			
17	1000	20	20	24				
40	1000	22	22					
19	1000	24 27	24 27					
22	1000	30	30					
24	1000	33	33					
27	1000	36	36	 				
32	1000	42						