




















nach Gewinde → Nennt Tragfähigkeit (t)

Produkt	Gewinde / Art.Nr.	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
	862130				0.3	0.4	0.75		1.5		2.3		3.2		4.5		<b>7</b>
	862132				0.3	0.4	0.75		1.5		2.3		3.2		4.5		
	862135						0.6		1.2		1.8		2.6				
	862260				0.3	0.63	1		1.5		2.5		4		5		<b>7</b>
	862270						0.63		1.5		2.5		4		5		<b>8</b>
	862222				0.3	0.45	0.6		1.3		2		3.5		5		
	862250																8
	862160	0.05	0.075	0.1	0.3	0.6	1	1.3	1.6	2	2.5	3	4	5	6.3		
	862165				0.3	0.6	1	1.3	1.6	2	2.5	3					
	862170				0.3	0.5	0.8	1	1.5	1.5	1.6	2	2.7	2.8	3		
	862175				0.3	0.5	0.8	1	1.5	1.5	1.6	2					
	862190												4.5		7.3	8	10
	862195												4.5	5	7.3	8	10
	862140			0.1	0.2	0.25	0.4	0.75	1		1.5		2		3		4
	862145			0.1	0.2	0.25	0.4	0.75	0.8		1.5		2		3		4
	862118				0.14	0.23	0.34		0.7		1.2		1.8		3.2		
	862120				0.14	0.23	0.34		0.7		1.2		1.8		3.2		
	862114			0.07	0.14	0.23	0.34	0.49	0.7		1.2	1.5	1.8	2.5	3.2	4.3	4.6
	862116			0.07	0.14	0.23	0.34	0.49	0.7		1.2		1.8	2.5	3.2		4.6
	862110			0.07	0.14	0.23	0.34	0.49	0.7		1.2	1.5	1.8	2.5	3.2	4.3	4.6
	862112			0.07	0.14	0.23	0.34		0.7		1.2		1.8		3.2		4.6

